

Test Report

日期(Date): 12-Jan-2024 號碼(No.): ETR24101818 頁數(Page): 1 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.)

台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) 龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.)

樣品名稱(Sample Name) SELF ADHESIVE LABELS (自粘標籤)

收件日(Sample Receiving Date) 05-Jan-2024

測試期間(Testing Period) 05-Jan-2024 to 12-Jan-2024

依據客戶要求進行測試,測試項目請參閱測試結果表格。(Testing item(s) is/are 測試需求(Test Requested)

specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) 請參閱下一頁 (Please refer to following pages.)







Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 2 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.) 台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
(rest items)	(Wethou)	(Offic)		No.1
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013.以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017·以 感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI))	參考IEC 62321-7-2: 2017 · 以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	参考IEC 62321-6: 2015 · 以氣相層析儀/質譜	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	儀分析。(With reference to IEC 62321-6:	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 3 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.)

台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 62321-6: 2015·以氣相層析儀/質譜	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	儀分析。(With reference to IEC 62321-6:	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
娜苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))	參考IEC 62321-8: 2017·以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
脚苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	271
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)		mg/kg	50	n.d.
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.
全氟辛烷磺酸 (PFOS) (Perfluorooctane sulfonates (PFOS)) (CAS No.: 1763-23- 1)	參考CEN/TS 15968: 2010‧以液相層析串聯 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.



Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.)

台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
全氟辛基磺酸鉀 (PFOS-K) (Potassium Perfluorooctanesulfonate (PFOS-K)) (CAS No.: 2795-39-3)	由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.)	mg/kg	0.01 ▲	n.d.
全氟辛基磺酸鋰 (PFOS-Li) (Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)) (CAS No.: 29457-72-5)	由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.)	mg/kg	0.01 ▲	n.d.
全氟辛基磺酸銨 (PFOS-NH4) (Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH4)) (CAS No.: 29081-56-9)	由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.)	mg/kg	0.01 🛦	n.d.
全氟辛基磺酸二乙醇銨 (PFOS-NH(OH)2) (Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH)2)) (CAS No.: 70225-14-8)	由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.)	mg/kg	0.01 🛦	n.d.
全氟辛基磺酸四乙基銨 (PFOS-N(C2H5)4) (Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS- N(C2H5)4)) (CAS No.: 56773-42-3)	由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.)	mg/kg	0.01 🛦	n.d.
全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) (N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)) (CAS No.: 251099-16-8)	由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.)	mg/kg	0.01 🛦	n.d.
全氟辛基磺醯氟 (POSF) (Perfluorooctane sulfonyl fluoride (POSF)) (CAS No.: 307- 35-7)		mg/kg	0.01 ▲	n.d.
全氟辛基磺酸鎂 (PFOS-Mg) (Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)) (CAS No.: 91036-71-4)	由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.)	mg/kg	0.01 ▲	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan

頁數(Page): 4 of 13



Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 5 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.)

台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

(Test Items) (Method) (Unit) (Result) 全氟辛基磺酸鈉 (PFOS-Na) 由全氟辛烷磺酸測試結果計算得之。 mg/kg 0.01▲ n.d. (Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)) (CAS No.: 4021-47-0) N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2) (N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide (N-Me-FOSA)) (CAS No.: 31506-32-8) (Method) (Unit) (Result) mg/kg 0.01 n.d. **********************************	測試項目	測試方法	單位	MDL	結果
全氟辛基磺酸鈉 (PFOS-Na) (Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)) (CAS No.: 4021-47-0)	(Test Items)	(Method)	(Unit)		(Result)
(Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)) (CAS No.: 4021-47-0) N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2) N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-methyl-Perfluoroctanesulfonamide (N-Methyl-Perfluoroctanesulfonamide (Mith)					No.1
salt (PFOS-Na)) (CAS No.: 4021-47-0) N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2) N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide (Sie)	全氟辛基磺酸鈉 (PFOS-Na)	由全氟辛烷磺酸測試結果計算得之。	mg/kg	0.01▲	n.d.
N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2) N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) ***SCEN/TS 15968: 2010 · 以液相層析串聯 mg/kg 0.01 n.d. ***SCEN/TS 15968: 2010 · 以液相層析串聯 mg/kg 0.01 n.d. ***GCEN/TS 15968: 2010 · 以液相層析串聯 mg/kg 0.01 n.d. ***GCEN/TS 15968: 2010 · 以液相層析串聯 mg/kg 0.01 n.d. ***SCEN/TS 15968: 2010 · 以液相層析串聯 mg/kg 0.01 n.d. ***TENENTAL TOTAL TO	(Perfluorooctanesulfonic acid, sodium	(Calculated from the result of PFOS.)			
ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2) 質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide 質譜儀分析。(With reference to CEN/TS	salt (PFOS-Na)) (CAS No.: 4021-47-0)				
(EtFOSA)) (CAS No.: 4151-50-2)15968: 2010, analysis was performed by LC/MS/MS.)UC/MS/MS.)N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide参考CEN/TS 15968: 2010 · 以液相層析串聯 質譜儀分析。(With reference to CEN/TSmg/kg0.01	N-乙基全氟正辛磺醯胺 (EtFOSA) (N-	參考CEN/TS 15968: 2010 · 以液相層析串聯	mg/kg	0.01	n.d.
N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide参考CEN/TS 15968: 2010·以液相層析串聯 質譜儀分析。(With reference to CEN/TSmg/kg0.01n.d.	ethylperfluoro-1-octanesulfonamide	質譜儀分析。(With reference to CEN/TS			
N-甲基全氟正辛磺醯胺 (N-Me-FOSA) 参考CEN/TS 15968: 2010·以液相層析串聯 mg/kg 0.01 n.d. (N-Methyl-Perfluoroctanesulfonamide 質譜儀分析。(With reference to CEN/TS	(EtFOSA)) (CAS No.: 4151-50-2)	15968: 2010, analysis was performed by			
(N-Methyl-Perfluoroctanesulfonamide 質譜儀分析。(With reference to CEN/TS		LC/MS/MS.)			
	N-甲基全氟正辛磺醯胺 (N-Me-FOSA)	參考CEN/TS 15968: 2010 · 以液相層析串聯	mg/kg	0.01	n.d.
(N-Me-FOSA)) (CAS No.: 31506-32-8) 15968: 2010, analysis was performed by	(N-Methyl-Perfluoroctanesulfonamide	質譜儀分析。(With reference to CEN/TS			
	(N-Me-FOSA)) (CAS No.: 31506-32-8)	15968: 2010, analysis was performed by			
LC/MS/MS.)		LC/MS/MS.)			
N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE 参考CEN/TS 15968: 2010,以液相層析串聯 mg/kg 0.01 n.d.	N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE	參考CEN/TS 15968: 2010 · 以液相層析串聯	mg/kg	0.01	n.d.
alcohol) (N-Ethyl- 質譜儀分析。(With reference to CEN/TS		質譜儀分析。(With reference to CEN/TS			
Perfluoroctanesulfonamidoethanol (N- 15968: 2010, analysis was performed by	Perfluoroctanesulfonamidoethanol (N-	15968: 2010, analysis was performed by			
Et-FOSE alcohol)) (CAS No.: 1691-99-2) LC/MS/MS.)	Et-FOSE alcohol)) (CAS No.: 1691-99-2)	LC/MS/MS.)			
N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE 参考CEN/TS 15968: 2010,以液相層析串聯 mg/kg 0.01 n.d.	N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE	參考CEN/TS 15968: 2010,以液相層析串聯	mg/kg	0.01	n.d.
alcohol) (N-Methyl- 質譜儀分析。(With reference to CEN/TS	alcohol) (N-Methyl-	質譜儀分析。(With reference to CEN/TS			
Perfluoroctanesulfonamidoethanol (N- 15968: 2010, analysis was performed by	Perfluoroctanesulfonamidoethanol (N-	15968: 2010, analysis was performed by			
Me-FOSE alcohol)) (CAS No.: 24448- LC/MS/MS.)	77 3	LC/MS/MS.)			
09-7)	09-7)				
全氟辛基磺醯胺 (PFOSA)	全氟辛基磺醯胺 (PFOSA)	參考CEN/TS 15968: 2010,以液相層析串聯	mg/kg	0.01	n.d.
(Perfluoroctanesulfonamide (PFOSA)) 質譜儀分析。(With reference to CEN/TS	(Perfluoroctanesulfonamide (PFOSA))	質譜儀分析。(With reference to CEN/TS			
(CAS No.: 754-91-6) 15968: 2010, analysis was performed by	(CAS No.: 754-91-6)	15968: 2010, analysis was performed by			
LC/MS/MS.)		LC/MS/MS.)			
全氟辛酸(PFOA) (Perfluorooctanoic 参考CEN/TS 15968: 2010 · 以液相層析串聯 mg/kg 0.01 n.d.	全氟辛酸(PFOA) (Perfluorooctanoic	參考CEN/TS 15968: 2010,以液相層析串聯	mg/kg	0.01	n.d.
Acid (PFOA)) (CAS No.: 335-67-1) 質譜儀分析。(With reference to CEN/TS	Acid (PFOA)) (CAS No.: 335-67-1)	質譜儀分析。(With reference to CEN/TS			
15968: 2010, analysis was performed by		15968: 2010, analysis was performed by			
LC/MS/MS.)		LC/MS/MS.)			
全氟辛酸鈉 (PFOA-Na) (Sodium 由全氟辛酸測試結果計算得之。(Calculated mg/kg 0.01▲ n.d.	全氟辛酸鈉 (PFOA-Na) (Sodium	由全氟辛酸測試結果計算得之。(Calculated	mg/kg	0.01▲	n.d.
perfluorooctanoate (PFOA-Na)) (CAS from the result of PFOA.)	perfluorooctanoate (PFOA-Na)) (CAS	from the result of PFOA.)			
No.: 335-95-5)	No.: 335-95-5)				



Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 6 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.)

台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
全氟辛酸鉀 (PFOA-K) (Potassium	由全氟辛酸測試結果計算得之。(Calculated	mg/kg	0.01▲	n.d.
perfluorooctanoate (PFOA-K)) (CAS	from the result of PFOA.)			
No.: 2395-00-8)				
全氟辛酸銀 (PFOA-Ag) (Silver	由全氟辛酸測試結果計算得之。(Calculated	mg/kg	0.01▲	n.d.
perfluorooctanote (PFOA-Ag)) (CAS	from the result of PFOA.)			
No.: 335-93-3)				
全氟辛氟 (PFOA-F) (Perfluorooctanoyl	由全氟辛酸測試結果計算得之。(Calculated	mg/kg	0.01▲	n.d.
fluoride (PFOA-F)) (CAS No.: 335-66-0)	from the result of PFOA.)			
全氟辛酸銨 (APFO) (Ammonium	由全氟辛酸測試結果計算得之。(Calculated	mg/kg	0.01▲	n.d.
pentadecafluorooctanoate (APFO))	from the result of PFOA.)			
(CAS No.: 3825-26-1)				
1H,1H,2H,2H-全氟癸磺酸 (8:2 FTS)	參考CEN/TS 15968: 2010 · 以液相層析串聯	mg/kg	0.01	n.d.
(1H,1H,2H,2H-Perfluorodecanesulfonic	`			
acid (8:2 FTS)) (CAS No.: 39108-34-4)	15968: 2010, analysis was performed by			
	LC/MS/MS.)			
全氟辛酸甲酯 (Me-PFOA) (Methyl	參考CEN/TS 15968: 2010 · 以氣相層析儀/質	mg/kg	0.1	n.d.
perfluorooctanoate (Me-PFOA)) (CAS	譜儀分析。(With reference to CEN/TS			
No.: 376-27-2)	15968: 2010, analysis was performed by			
	GC/MS.)			
全氟辛酸乙酯 (Et-PFOA) (Ethyl	參考CEN/TS 15968: 2010 · 以氣相層析儀/質	mg/kg	0.1	n.d.
perfluorooctanoate (Et-PFOA)) (CAS	譜儀分析。(With reference to CEN/TS			
No.: 3108-24-5)	15968: 2010, analysis was performed by			
To The second se	GC/MS.)			
1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH)	參考CEN/TS 15968: 2010 · 以氣相層析儀/質	mg/kg	0.1	n.d.
(1H,1H,2H,2H-Perfluoro-1-decanol (8:2	,			
FTOH)) (CAS No.: 678-39-7)	15968: 2010, analysis was performed by			
	GC/MS.)			
1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2	参考CEN/TS 15968: 2010・以氣相層析儀/質	mg/kg	0.1	n.d.
FTA) (1H,1H,2H,2H-Perfluorodecyl	譜儀分析。(With reference to CEN/TS			
acrylate (8:2 FTA)) (CAS No.: 27905-45-	15968: 2010, analysis was performed by			
9)	GC/MS.)			



Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 7 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.)

台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
FTMA) (1H,1H,2H,2H-Perfluorodecyl	參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.
全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1)	參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

6. 樣品的測試是基於申請人要求混合測試‧報告中的混合測試結果不代表其中個別單一材質的含量。
The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.



Test Report


號碼(No.): ETR24101818 日期(Date): 12-Jan-2024

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.) 台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 8 of 13




Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 9 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.) 台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 10 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.) 台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 11 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.) 台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 12 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.) 台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)






Test Report

號碼(No.): ETR24101818 日期(Date): 12-Jan-2024 頁數(Page): 13 of 13

龍德數位科技有限公司 (LONGDER DIGITAL TECHNOLOGY CO., LTD.) 台南市南區新和一路3巷3號 (NO. 3, LANE 3, SINHE 1ST RD., SOUTH DISTRICT, TAINAN CITY 70248, TAIWAN (R. O. C.))

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR24101818



** 報告結尾 (End of Report) **